




mounts

356 Flat screen mounts

- 356 Ultralim VESA
- 357 Adjustable VESA
- 357 VESA with tilt
- 358 Ultralim
- 361 With tilt
- 364 Adjustable with arm
- 366 Adjustable with articulated arm
- 371 Adjustable desktop
- 372 Adjustable ceiling
- 374 Adjustable stands
- 377 DVD/Digital TV
- 378 Video wall
- 380 Display


381 Projector mounts

- 381 Adjustable ceiling
- 385 Adjustable wall
- 386 Stands

387 Tablets mounts. Adjustable

FLAT SCREEN MOUNTS. ULTRASLIM VESA

Ultralim wall mounts for flat screens.



STV-652N



13" - 27"



50/75/100



25 kg



LEVEL



STV-662P (silver)
STV-662N (black)



10" - 32"




50/75/100/
200 x 100



25 kg



LEVEL



STV-686N



10" - 32"



50/75/100/200



25 kg



LEVEL

	STV-652N	STV-662P	STV-662N	STV-686N
CHARACTERISTICS	Ultralim wall mount for flat screens from 13" to 27" (33 to 68.5 cm).	Ultralim wall mount for flat-screens from 10" to 32" (25.5 to 81 cm).	Ultralim wall mount for flat-screens from 10" to 32" (25.5 to 81 cm).	Ultralim wall mount for flat screens from 10" to 32" (25.5 to 81 cm).
MOUNT	Ultralim, distance to the wall: 1.5 cm Spirit level	Ultralim, distance to the wall: 1.8 cm Spirit level	Ultralim, distance to the wall: 1.8 cm Spirit level	Ultralim, distance to the wall: 1.5 cm Spirit level
COLOUR	Black	Silver	Black	Black
MAXIMUM BORNE WEIGHT	25 kg	25 kg	25 kg	25 kg
DIMENSIONS	TV plate: 11 x 11 cm with VESA 50/75/100 regulation holes	21.5 x 11.5 cm plate with VESA 50/75/100 and 200 x 100 regulation holes	21.5 x 11.5 cm plate with VESA 50/75/100 and 200 x 100 regulation holes	TV plate: 22 x 22 cm with VESA 50/75/100/200 regulation holes
WEIGHT	0.5 kg	0.5 kg	0.5 kg	0.6 kg

FLAT SCREEN MOUNTS. ADJUSTABLE VESA

FONESTAR

Ultraslim or adjustable wall mounts for flat screens.



STV-642N

CHARACTERISTICS	Ultraslim or adjustable wall mount for flat screens from 10" to 19" (25.5 to 48 cm).
MOUNT	Double mount option: A: Ultraslim, distance to the wall: 1.5 cm B: 90° horizontally adjustable and - 10° vertical tilt.
COLOUR	Black.
MAXIMUM BORNE WEIGHT	15 kg
DIMENSIONS	11 x 11 cm plate with VESA 75/100 regulation holes.
WEIGHT	0.6 kg

10" - 19"

VESA 75/100

90°

-10°

15 kg

FLAT SCREEN MOUNTS. VESA WITH TILT

Tilting wall mount for flat screens.

15" - 37"

VESA 50/75/100/200/
200 x 100

-15°

30 kg

LEVEL

STV-640N

CHARACTERISTICS	Tilting wall mount for flat screens from 15" to 37" (38 to 94 cm).
MOUNT	Vertical tilt -15° Distance to the wall in vertical position: 5 cm Spirit level
COLOUR	Black.
MAXIMUM BORNE WEIGHT	30 kg
DIMENSIONS	TV plate: 12 x 12.5 cm with VESA 50/75/100 regulation holes. TV plate: 22 x 22 cm plate with VESA 50/75/100/200 regulation holes. TV plate: 22 x 12.5 cm plate with VESA 200 x 100 regulation holes.
WEIGHT	1.7 kg



FLAT SCREEN MOUNTS. ULTRASLIM

Ultraslim wall mounts for flat screens. Simple and easy installation.

STV-630LED



37" - 70"



800 max.



50 kg



STV-629LED



23" - 70"



800 x 600 max.



50 kg



STV-628LED



13" - 70"



800 x 600 max.



50 kg







STV-630LED

STV-629LED

STV-628LED

CHARACTERISTICS	Ultraslim wall mount for flat screens from 37" to 70" (94 to 178 cm).	Ultraslim wall mount for flat screens from 23" to 70" (58 to 178 cm)	Ultraslim wall mount for flat screens from 13" to 70" (33 to 178 cm).
MOUNT	Distance to the wall: 1.45 cm	Distance from the wall: 1.45 cm Spirit level	Distance to the wall: 2.45 cm Can be tilted to access the connectors Spirit level
COLOUR	Silver/black	Silver/Black	Black
MAXIMUM BORNE WEIGHT	50 kg	50 kg	50 kg
DIMENSIONS	Adjustable, up to 80 cm width x 80 cm height VESA 200 compatible and higher, up to VESA 800	Adjustable, up to 80 cm width x 60 cm height VESA 200 x 100 compatible and higher, up to VESA 800 x 600	Adjustable up to 80 cm width x 60 cm height Compatible with VESA 100 and higher, up to VESA 800 x 600
WEIGHT	0.2 kg	0.5 kg	0.4 kg


STV-634N

STV-635N

STV-638N

STV-639N


	STV-634N	STV-635N	STV-638N	STV-639N
CHARACTERISTICS	Ultraslim wall mount for flat screens from 37" to 70" (94 to 178 cm).	Ultraslim wall mount for flat screens from 37" to 70" (94 to 178 cm).	Ultraslim wall mount for flat screens from 32" to 55" (81 to 140 cm).	Ultraslim wall mount for flat screens from 32" to 55" (81 to 140 cm).
MOUNT	Distance to the wall: 0.8 cm Spirit level.	Distance to the wall: 1.9 cm Spirit level Lock system	Distance to the wall: 0.8 cm Spirit level	Distance to the wall: 1.9 cm Spirit level Lock system
COLOUR	Black	Black	Black	Black
MAXIMUM BORNE WEIGHT	65 kg	65 kg	45 kg	45 kg
DIMENSIONS	Wall plate: 88 x 8 cm Adjustable width from 4 to 81 cm x 52 cm height Compatible with VESA 800 x 400 maximum	Wall plate: 86 x 7 cm Adjustable width from 24 to 82 cm x 41 cm height Compatible con VESA 800 x 400 maximum	Wall plate: 48 x 8 cm Adjustable width from 4 to 42 cm x 36 cm height Compatible with VESA 400 x 200 maximum	Wall plate: 46 x 7 cm Adjustable width from 7 to 42 cm x 23 cm height Compatible with VESA 400 x 200 maximum
WEIGHT	1.6 kg	1.7 kg	0.9 kg	1 kg

FLAT SCREEN MOUNTS. ULTRASLIM

Ultraslim wall mounts for flat screens. Simple and easy to install.



-  60" - 100"
-  900 x 600 max
-  100 kg
- 

STV-636N

CHARACTERISTICS	Ultraslim wall mount for flat screens from 60" to 100" (152 to 254 cm).
MOUNT	Distance to the wall: 3.2 cm Spirit level
COLOUR	Black
MAXIMUM BORNE WEIGHT	100 kg
DIMENSIONS	Wall plate: 100 x 40 cm Adjustable width from 20 to 92 cm x 61 cm height Compatible with VESA 900 x 600 maximum
WEIGHT	4.6 kg

Ultraslim vertical wall mount for flat screens. Specially for shops, public displays, information points, etc.



-  37" - 70"
-  600 x 400 max
-  75 kg
- 
- 

STV-661N

CHARACTERISTICS	Ultraslim vertical wall mount for flat screens between 37" and 70" (94 and 178 cm).
MOUNT	Screens installed vertically Distance to the wall: 3.2 cm Spirit level Lock system
COLOUR	Black
MAXIMUM BORNE WEIGHT	75 kg
DIMENSIONS	Wall plate: 51.5 x 22.5 cm Adjustable width from 4 to 47 cm x 77 cm height Compatible with VESA 600 x 400 maximum
WEIGHT	3.4 kg

FLAT SCREEN MOUNTS. WITH TILT

Ultraslim tilting wall mounts for flat screens. Simple and easy installation.

FONESTAR



-  37" - 70"
-  800 x 400 max.
-  -12°
-  40 kg
-  LEVEL



-  32" - 55"
-  400 x 400 max.
-  -12°
-  40 kg
-  LEVEL

STV-633N

STV-637N

CHARACTERISTICS	Ultraslim tilting wall mount for flat screens from 37" to 70" (94 to 178 cm).	Ultraslim tilting wall mount for flat screens from 32" to 55" (81 to 140 cm).
MOUNT	-12° vertical tilt Distance to the wall in vertical position: 2 cm Spirit level	-12° vertical tilt Distance to the wall in vertical position: 2 cm Spirit level
COLOUR	Black	Black
MAXIMUM BORNE WEIGHT	40 kg	40 kg
DIMENSIONS	Wall plate: 87 x 8 cm Adjustable width from 6 to 83 cm x 40 cm height Compatible with VESA 800 x 400 maximum	Wall plate: 49 x 8 cm Adjustable width from 6 to 44.5 cm x 40 cm height Compatible with VESA 400 maximum
WEIGHT	2.4 kg	2.1 kg

FLAT SCREEN MOUNTS. WITH TILT

Tilting wall mounts for flat screens.



STV-658P (silver)
STV-658N (black)

32" - 55"

VESA

400 x 200 max.

±15°

60 kg

LEVEL



	STV-658P	STV-658N
CHARACTERISTICS	Tilting wall mount for flat screens from 32" to 55" (81 to 140 cm).	Tilting wall mount for flat screens from 32" to 55" (81 to 140 cm).
MOUNT	±15° vertical tilt Distance to the wall in vertical position: 7.5 cm Spirit level. Lock system	±15° vertical tilt Distance to the wall in vertical position: 7.5 cm Spirit level. Lock system
COLOUR	Silver	Black
MAXIMUM BORNE WEIGHT	60 kg	60 kg
DIMENSIONS	Wall plate: 51.5 x 22.5 cm Adjustable width from 6 to 47 cm x 36 cm height Compatible with VESA 400 x 200 maximum	Wall plate: 51.5 x 22.5 cm Adjustable width from 6 to 47 cm x 36 cm height Compatible with VESA 400 x 200 maximum
WEIGHT	3.6 kg	3.6 kg



STV-660P (silver)
STV-660N (black)

32" - 55"

VESA

400 x 200 max.


-5°

60 kg

LEVEL




	STV-660P	STV-660N
CHARACTERISTICS	Tilting wall mount for flat screens from 32" to 55" (81 to 140 cm).	Tilting wall mount for flat screens from 32" to 55" (81 to 140 cm).
MOUNT	-5° vertical tilt Distance to the wall in vertical position: 3.2 cm Spirit level. Lock system	-5° vertical tilt Distance to the wall in vertical position: 3.2 cm Spirit level. Lock system
COLOUR	Silver	Black
MAXIMUM BORNE WEIGHT	60 kg	60 kg
DIMENSIONS	Wall plate: 51.5 x 22.5 cm Adjustable width from 4 to 47 cm x 36 cm height Compatible with VESA 400 x 200 maximum	Wall plate: 51.5 x 22.5 cm Adjustable width from 4 to 47 cm x 36 cm height Compatible with VESA 400 x 200 maximum
WEIGHT	3 kg	3 kg




STV-654P STV-654N



CHARACTERISTICS	Tilting wall mount for flat screens from 37" to 70" (94 to 178 cm).	
MOUNT	±15° vertical tilt Distance to the wall in vertical position: 7.5 cm Spirit level Lock system	
COLOUR	Silver	Black
MAXIMUM BORNE WEIGHT	75 kg	
DIMENSIONS	Wall plate: 81 x 22 cm Adjustable width from 6 to 77 cm x 50 cm height Compatible with VESA 600 x 400 maximum	
WEIGHT	5.1 kg	



STV-654P (silver)
STV-654N (black)



STV-656P (silver)
STV-656N (black)
STV-657N-L (black)



STV-656P

STV-656N

STV-657N-L

CHARACTERISTICS	Tilting wall mount for flat screens from 37" to 70" (94 to 178 cm).		
MOUNT	-5° vertical tilt Distance to the wall in vertical position: 3.2 cm Spirit level Lock system	-5° vertical tilt Distance to the wall in vertical position: 3.2 cm Spirit level Lock system	- 5° vertical tilt Distance to the wall in vertical position: 3.2 cm Spirit level Lock system
COLOUR	Silver	Black	Black
MAXIMUM BORNE WEIGHT	75 kg	75 kg	75 kg
DIMENSIONS	Wall plate: 81 x 22 cm Adjustable width from 4 to 77 cm x 50 cm height Compatible with VESA 600 x 400 maximum	Wall plate: 81 x 22 cm Adjustable width from 4 to 77 cm x 50 cm height Compatible with VESA 600 x 400 maximum	Wall plate: 90 x 22 cm Adjustable width from 4 to 86 cm x 50 cm height Compatible with VESA 800 x 400 maximum
WEIGHT	4.5 kg	4.5 kg	5 kg

FLAT SCREEN MOUNTS. ADJUSTABLE WITH ARM

Adjustable wall mounts for flat screens.



STV-664P (silver)
STV-664N (black)

- 13" - 27"
- VESA 75/100
- 40°
- ±30°
- 15 kg
- LEVEL



STV-650P (silver)
STV-650N (black)

- 13" - 27"
- VESA 75/100
- 120°
- ±45°
- 15 kg
- LEVEL

	STV-664P	STV-664N	STV-650P	STV-650N
CHARACTERISTICS	Adjustable wall mount for flat screens from 13" to 27" (33 to 68.5 cm).		Adjustable wall mount for flat screens from 13" to 27" (33 to 68.5 cm).	
MOUNT	40° horizontally adjustable ±30° vertical tilt Distance to the wall in vertical position: 10 cm Spirit level		Horizontally adjustable 120° ±45° vertical tilt Distance to the wall in vertical position: 8 cm Spirit level	
COLOUR	Silver	Black	Silver	Black
MAXIMUM BORNE WEIGHT	15 kg		15 kg	
DIMENSIONS	TV plate: 11.5 x 11.5 cm with VESA 75/100 regulation holes Wall plate: 6 x 14.5 cm		TV plate: 11 x 11 cm with VESA 75/100 regulation holes Wall plates: 4.5 x 17 cm	
WEIGHT	0.7 kg		0.6 kg	



STV-651N

-  13" - 27"
-  75/100
-  120°
-  ±15°
-  360°
-  15 kg
-  LEVEL
- 



STV-643N

-  23" - 42"
-  75/100/200
-  85°
-  ±15°
-  360°
-  20 kg
-  LEVEL
- 


STV-651N

STV-643N

CHARACTERISTICS	Adjustable wall mount for flat screens from 13" to 27" (33 to 68.5 cm).	Adjustable wall mount for flat screens from 23" to 42" (58 to 107 cm).
MOUNT	120° horizontally adjustable. ±15° vertical tilt. 360° rotating Distance to the wall in vertical position: 8.8 cm Spirit level Cable holder Lock system	85° horizontally adjustable ±15° vertical tilt 360° rotating, allowing the screen to be turned to horizontal or vertical position Distance to the wall in vertical position: 9.6 cm Spirit level Lock system
COLOUR	Black	Black
MAXIMUM BORNE WEIGHT	15 kg	20 kg
DIMENSIONS	TV plate: 12 x 12 cm with VESA 75/100 regulation holes. Wall plate: 4 x 16 cm	22.5 x 22.5 cm plate with 75/100/200 VESA regulation holes Wall plate: 8 x 14 cm
WEIGHT	0.7 kg	1.2 kg

FLAT SCREEN MOUNTS. ADJUSTABLE WITH ARTICULATED ARM

Adjustable wall mounts for flat screens.



STV-648P (silver)
STV-648N (black)

 13" - 27"

 75/100

 180°

 ±45°

 15 kg

 LEVEL



STV-649B (white)
STV-649N (black)

 13" - 27"

 75/100

 180°

 ±15°

 360°

 15 kg


 LEVEL




	STV-648P	STV-648N	STV-649B	STV-649N
CHARACTERISTICS	Adjustable wall mount for flat screens from 13" to 27" (33 to 68.5 cm).		Adjustable wall mount for flat screens from 13" to 27" (33 to 68.5 m).	
MOUNT	Double articulated arm. Horizontally adjustable 180° ±45° vertical tilt Distance to the wall in vertical position: 5 to 36 cm Spirit level		Double articulated arm. 180° horizontally adjustable. ±15° vertical tilt 360° rotating Distance to the wall in vertical position: 8.8 to 40.8 cm Cable holder Spirit level Lock system	
COLOUR	Silver	Black	White	Black
MAXIMUM BORNE WEIGHT	15 kg		15 kg	
DIMENSIONS	TV plate: 11 x 11 cm with VESA 75/100 regulation holes Wall plate: 4.5 x 17 cm		TV plate: 12 x 12 cm with VESA 75/100 regulation holes. Wall plate: 4 x 16 cm	
WEIGHT	1 kg		1.5 kg	

VESA 200 x 100 adapter plate.

STV-601N	
CHARACTERISTICS	200 x 100 VESA adapter plate to use with 75 x 75 VESA mounts. To use with FONESTAR mounts models STV-642N, STV-648N, STV-649N, STV-650N, STV-651N, STV-652N, STV-664N and STM-614N.
COLOUR	Black
DIMENSIONS	22 x 12 cm plate with 200 x 100 VESA regulation holes
WEIGHT	0.4 kg



VESA 200 x 100



Adjustable wall mounts for flat screens.





23" - 42"



VESA 75/100/200



180°



±15°



360°



20 kg



LEVEL





23" - 42"



VESA 75/100/200



180°



±20°



20 kg



LEVEL

STV-676P (silver)
STV-676N (black)

STV-647N		STV-676P	STV-676N
CHARACTERISTICS	Adjustable wall mount for flat screens from 23" to 42" (58 to 107 cm).	Adjustable wall mount for flat screens from 23" to 42" (58 to 107 cm). With cable cover.	
MOUNT	Double articulated arm 180° horizontally adjustable ±15° vertical tilt 360° rotating, allowing the screen to be turned in horizontal or vertical position Distance to the wall in vertical position: 9.6 to 45.6 cm Cable holder Spirit level Lock system	Double articulated arm. 180° horizontally adjustable ±20° vertical tilt Distance to the wall in vertical position: 8.5 to 46 cm Spirit level	
COLOUR	Black	Silver	Black
MAXIMUM BORNE WEIGHT	20 kg	20 kg	
DIMENSIONS	22.5 x 22.5 cm plate with 75/100/200 VESA regulation holes Wall plate: 8 x 14 cm	TV plate: 22 x 22 cm with VESA 75/100/200 regulation holes. Wall plate (without trim): 8 x 15 cm	
WEIGHT	2 kg	1.9 kg	

FLAT SCREEN MOUNTS. ADJUSTABLE WITH ARTICULATED ARM

Adjustable wall mounts for flat screens.



 23" - 42"

 75/100/200

 180°

 ±15°



 35 kg

 LEVEL



 23" - 55"

 75/100/200/400

 180°

 ±15°



 35 kg

 LEVEL

STV-681N **N!**

STV-683N

CHARACTERISTICS	Adjustable wall mount for flat screens from 23" to 42" (58 to 107 cm).	Adjustable wall mount for flat screens from 23" to 55" (58 cm to 140 cm).
MOUNT	Double articulated arm 180° horizontally adjustable ±15° vertical tilt Distance to the wall in vertical position: 5.6 to 51 cm Correction of the horizontal tilt of the screen Spirit level Cable holders	Double articulated arm 180° horizontally adjustable ± 15° vertical tilt Distance to the wall in vertical position: 5.6 to 51cm Correction of the horizontal tilt of the screen Spirit level Cable holders
COLOUR	Black	Black
MAXIMUM BORNE WEIGHT	35 kg	35 kg
DIMENSIONS	TV plate: 22 x 23.5 cm with VESA 75/100/200 regulation holes Wall plate: 6.5 x 26 cm	TV plate: 22 x 23.5 cm with 75/100/200 VESA standard holes 4 x 21.5 cm arms for adapting to 400 VESA standard Wall plate: 6.5 x 26 cm
WEIGHT	2.9 kg	3.6 kg

VESA 300/400 and 400 x 200 adapter arms for VESA 200 x 100 and VESA 200 mounts.




STV-602N **N!**

CHARACTERISTICS	VESA 300/400 and 400 x 200 adapter arms. For use with mounts with VESA 200 x 100 and VESA 200 mods. STV-643N, STV-676N, STV-631N, STV-666N, STS-414N, STS-440N and STV-667N.
COLOUR	Black
DIMENSIONS	4 x 21.5 adapter arms for VESA 300/400 and 400 x 200 regulations
WEIGHT	0.6 kg

STV-673N **N!**


CHARACTERISTICS	Adjustable wall mount for flat screens from 37" to 70" (94 to 178 cm).
MOUNT	Double articulated arm 180° horizontally adjustable -12°/+5° vertical tilt Distance to the wall in vertical position: 6.8 to 57 cm Correction of the horizontal tilt of the screen Spirit level Lock system
COLOUR	BLACK
MAXIMUM BORNE WEIGHT	40 kg
DIMENSIONS	Adjustable width from 4 to 63 cm x 43 cm height Compatible with VESA 600 x 400 maximum Wall plate: 23 x 50 cm
WEIGHT	6.4 kg



Adjustable wall mounts for flat screens with double articulated arm. Plate with special "I" shaped VESA holes for TVs with connectors in the centre of the back panel, where square VESA plates cannot be used.

STV-684N **N!**

CHARACTERISTICS	Adjustable wall mount for flat screens from 32" to 55" (81 to 140 cm).
MOUNT	Double articulated arm 180° horizontally adjustable ±12° vertical tilt Distance to the wall in vertical position: 4 to 45 cm Horizontal tilt correction of the screen Spirit level Cable holder
COLOUR	Black
MAXIMUM BORNE WEIGHT	35 kg
DIMENSIONS	Adjustable TV plate with VESA 200/300/400 regulation holes Wall plate: 6.2 x 23 cm
WEIGHT	3.3 kg




STV-685N **N!**

CHARACTERISTICS	Adjustable wall mount for flat screens from 32" to 55" (81 to 140 cm).
MOUNT	Double articulated arm with extra length to rotate the screen 90°. Horizontally adjustable 180° ±12° vertical tilt Distance to the wall in vertical position: 4 to 61 cm Correction of the horizontal tilt of the screen Spirit level
COLOUR	Black
MAXIMUM BORNE WEIGHT	35 kg
DIMENSIONS	Adjustable TV plate with VESA 200/300/400 regulation holes Wall plate: 48 x 17 cm
WEIGHT	5.3 kg



FLAT SCREEN MOUNTS. ADJUSTABLE WITH ARTICULATED ARM

Adjustable wall mounts for flat screens.



STV-631B (white)

STV-631N (black)

23" - 42"

VESA

75/100/200

100°

±15°

±5°

25 kg

LEVEL



STV-632N

32" - 55"

VESA


400 max.

120°

±15°

25 kg

LEVEL



View from above
STV-632N/STV-691N

	STV-631B	STV-631N	STV-632N
CHARACTERISTICS	Adjustable wall mount for flat screens from 23" to 42" (58 to 107cm).	Adjustable wall mount for flat screens from 23" to 42" (58 to 107 cm).	Adjustable wall mount for flat screens from 32" to 55" (81 to 140 cm).
MOUNT	2 articulated arms 110° horizontally adjustable ±15° vertical tilt 360° rotating, allowing the screen to be turned horizontally or vertically Distance to the wall in vertical position: 2.7 to 36 cm Spirit level Cable holder Lock system	2 articulated arms 100° horizontally adjustable ±15° vertical tilt ±5° horizontal correction Distance to the wall in vertical position: 3.1 a 40 cm Spirit level Cable holder	2 articulated arms 120° horizontally adjustable ±15° vertical tilt Correction of the horizontal tilt of the screen Distance to the wall in vertical position: 4.1 to 41 cm Spirit level Cable holder Lock system
COLOUR	White	Black	Black
MAXIMUM BORNE WEIGHT	25 kg	25 kg	25 kg
DIMENSIONS	TV Plate: 26.2 x 22.3 cm with 75/100/200 VESA regulation holes Wall plate: 19 x 50 cm	TV plate: 26.2 x 22.3 cm with 75/100/200 VESA regulation holes Wall plate: 19 x 50 cm	Adjustable width from 4 to 40 cm x 40 cm height Compatible with VESA 400 maximum Wall plate: 19 x 50 cm
WEIGHT	3.1 kg	3.4 kg	4 kg



STV-691N

	37" - 70"	VESA	800 x 400 max.
	120°		±15°
			60 kg



STV-692N

	37" - 70"	VESA	800 x 400 max.
	60°		±15°
			60 kg



CHARACTERISTICS	STV-691N	STV-692N
MOUNT	Adjustable wall mount for flat screens from 37 to 70" (94 to 178 cm). 2 articulated arms 120° horizontally adjustable ±15° vertical tilt Correction of the horizontal tilt of the screen Distance to the wall in vertical position: 12.5 to 51.5 cm Spirit level Lock system	Adjustable wall mount for flat screens from 37" to 70" (94 to 178 cm). For installation in corners 2 articulated arms 60° horizontally adjustable ±15° vertical tilt Screen horizontal tilt correction Spirit level Lock system
COLOUR	Black	Black
MAXIMUM BORNE WEIGHT	60 kg	60 kg
DIMENSIONS	Adjustable width from 5 to 82 cm x 40 cm height Compatible with 800 x 400 VESA maximum Wall plate: 46 x 20.5 cm	Adjustable width from 6 to 82.5 cm x 40 cm height Compatible with VESA 800 x 400 maximum Wall plate: 22.5 x 20.5 cm
WEIGHT	8.2 kg	8.1 kg

FLAT SCREEN MOUNTS. ADJUSTABLE DESKTOP

Adjustable table mount for flat screens.

STM-614N

CHARACTERISTICS	Adjustable table mount for flat screens between 10" and 27" (25.5 to 68.5 cm).
MOUNT	Double articulated arm 180° horizontally adjustable ±15° vertical tilt 360° rotating Maximum table thickness of 5.1 cm Height adjustable up to 40 cm Maximum arm length: 44.7 cm Cable holder Lock system
COLOUR	Black
MAXIMUM BORNE WEIGHT	15 kg
DIMENSIONS	TV plate: 12 x 12 cm with VESA 75/100 regulation holes
WEIGHT	2.3 kg



	10" - 27"	VESA	75/100
	180°		±15°
			15 kg

FLAT SCREEN MOUNTS. ADJUSTABLE CEILING

Adjustable ceiling mounts for flat screens.



STV-666P
STV-666N

STV-668P
STV-668N

CHARACTERISTICS	Adjustable ceiling mount for flat screens from 23" to 42" (58 to 107 cm).		Adjustable ceiling mount for flat screens. To be used with mounts, mods. STV-654P, STV-654N, STV-656P, STV-656N, STV-658P, STV-658N, STV-660P, STV-660N, STV-661N and STV-657N-L. For flat screens from 32" to 70" (81 to 178 cm) depending on the mount.	
MOUNT	180° horizontally adjustable ±20° vertical tilt Distance to the ceiling: extendable from 60 to 85 cm		360° horizontally adjustable ±15° vertical tilt with, mods. STV-654P, STV-654N, STV-658P, STV-658N and -5° with, mods. STV-656P, STV-656N, STV-660P, STV-660N and STV-657N-L Distance to the ceiling: extendable from 50 to 90 cm Correction of the horizontal tilt of the screen	
COLOUR	Silver	Black	Silver	Black
MAXIMUM BORNE WEIGHT	30 kg		60 kg	
DIMENSIONS	TV plate: 22 x 22 cm with VESA 75/100/200 regulation holes Ceiling plate: 15 cm Ø		Fixing plate: 19 x 11 cm for mounts, mods. STV-654P, STV-654N, STV-656P, STV-656N, STV-658P, STV-658N, STV-660P, STV-660N, STV-661N and STV-657N-L Ceiling plate: 13 x 18 cm	
WEIGHT	1.9 kg		3 kg	



	STV-669N	STV-670N	STV-667N
CHARACTERISTICS	Adjustable ceiling mount for 2 flat screens. To use with the mounts models STV-654P, STV-654N, STV-656P, STV-656N, STV-658P, STV-658N, STV-660P, STV-660N, STV-661N and STV-657N-L. For flat screens from 32" to 70" (81 to 178 cm) depending on the mount.	Adjustable ceiling mount for flat screens. To be used with mounts, mods. STV-654P, STV-654N, STV-656P, STV-656N, STV-658P, STV-658N, STV-660P, STV-660N, STV-661N and STV-657N-L. For flat screens from 32" to 70" (81 to 178 cm) depending on the mount.	Folding ceiling mount for flat screens from 17" to 37" (43 to 94 cm).
MOUNT	360° horizontally adjustable ±15° vertical tilt with models STV-654P, STV-654N, STV-658P and STV-658N and - 5° with the models STV-656P, STV-656N, STV-660P, STV-660N, STV-661N and STV-657N-L Distance to the ceiling: extendable from 50 to 90 cm Correction of the horizontal tilt of the screen	360° horizontally adjustable ±15° vertical tilt with, mods. STV-654P, STV-654N, STV-658P, STV-658N and -5° with, mods. STV-656P, STV-656N, STV-660P, STV-660N and STV-657N-L Distance to the ceiling: extendable from 97 to 156 cm Correction of the horizontal tilt of the screen	Folding 90° Horizontally adjustable Distance to ceiling when folded: 8.7 cm Adjustable height: from 14.5 to 28.5 cm from the ceiling to the centre of the TV plate
COLOUR	Black	Black	Black
MAXIMUM BORNE WEIGHT	120kg	60 kg	20 kg
DIMENSIONS	Fixing plate: 19 x 11 cm for mounts models STV-654P, STV-654N, STV-656P, STV-656N, STV-658P, STV-658N, STV-660P, STV-660N, STV-661N and STV-657N-L Ceiling plate: 13 x 18 cm	Fixing plate: 19 x 11 cm for mounts, mods. STV-654P, STV-654N, STV-656P, STV-656N, STV-658P, STV-658N, STV-660P, STV-660N, STV-661N and STV-657N-L Ceiling plate: 13 x 18 cm	TV plate: 22 x 22 cm with 75/100/200 VESA regulation holes Ceiling plate: 10.5 cm x 16.5 cm
WEIGHT	3'8 kg	4.4 kg	1.5 kg

FLAT SCREEN MOUNTS. ADJUSTABLE STANDS


Adjustable stand for flat screens from 32" to 46"



STS-414N


CHARACTERISTICS	Adjustable stand for flat screens from 10" to 37" (25.5 to 94 cm). Metal tray for DVD/digital TV with adjustable height (included). Wheels with brake. Tube with cable holder. Supplied unassembled, but with assembly instructions and accessories. Easy to assemble. Black finish.	Adjustable stand for flat screens from 32" to 46" (81 to 116.8 cm), maximum recommended: 42" (106.7 cm). Metal tray for DVD/Digital TV with adjustable height (included). Wheels with brake. Tube with cable holder. Supplied unassembled, but with assembly instructions and accessories. Black finish.
MOUNT	10" to 37" Plate: 22 x 22 cm with VESA 100/200 regulation holes Horizontally adjustable 360° ±20° vertical tilt Correction of the horizontal tilt of the screen Spirit level	Horizontally adjustable 360° ±20° vertical tilt Correction of the horizontal tilt of the screen Spirit level
MAXIMUM BORNE WEIGHT	40 kg	40 kg
DIMENSIONS (WITH WHEELS)	Adjustable height: 103-143 cm Base: 80 (53) x 62 cm depth Wheels: 50 mm Adjustable DVD/digital TV tray: from 31 to 50 cm x 28 cm depth	Adjustable width from 14 to 68 cm x 42 cm maximum height Compatible with VESA 600 x 400 maximum With wheels: adjustable height: 107-147 cm Base: 80 (53) x 62 cm depth Wheels: 50 mm Adjustable DVD/Digital TV tray from 31 to 50 x 28 cm depth
WEIGHT	9 kg	12 kg
OPTIONAL	BSS-2N: tempered glass tray	BSS-2N: tempered glass tray

STS-418N



STS-440N

CHARACTERISTICS	Adjustable stand for flat screens from 10" to 37" (25.5 to 94 cm). Tempered glass tray, adjustable height (included). Base with black tempered glass. Wheels with brake. Tube with cable holder. Supplied unassembled, but with assembly instructions and accessories. Black finish.
MOUNT	Horizontally adjustable 360° ±20° vertical tilt Correction of the horizontal tilt of the screen Spirit level
MAXIMUM BORNE WEIGHT	40 kg
DIMENSIONS (WITH WHEELS)	TV plate: 22 x 22 cm with regulation VESA 100/200 holes With wheels: adjustable height: 103-143 cm Base: 65 x 45 cm depth Wheels: 38 mm Tray: 40 x 35 cm depth
WEIGHT	14 kg
OPTIONAL	BSS-2N: tempered glass tray



STS-444N

CHARACTERISTICS	Adjustable stand for flat screens from 32" to 46" (81 to 116.8 cm), max. recommended 42" (106.7 cm). Tempered glass tray, adjustable height (included). Base with black tempered glass. Wheels with brake. Tube with cable holder. Supplied unassembled with assembly instructions and accessories. Easy to assemble. Black finish.
MOUNT	32 to 46" (max. recommended 42") Adjustable width from 14 to 68 cm x 42 cm max. Height Horizontally adjustable 360° 40° vertical tilt Correction of the horizontal tilt of the screen Spirit level
MAXIMUM BORNE WEIGHT	40 kg
DIMENSIONS (WITH WHEELS)	Adjustable height: 107-147 cm Base: 65 x 45 cm depth Wheels: 38 mm Tray: 40 x 35 cm depth
WEIGHT	16 kg
OPTIONAL	BSS-2N: tempered glass tray

Tempered glass tray for stands.

BSS-2N

CHARACTERISTICS	Tempered glass tray.
DIMENSIONS	40 x 35 cm depth
WEIGHT	3.1 kg
COMPATIBILITY	For FONESTAR stands, mods. STS-414N, STS-418N, STS-440N and STS-444N



BSS-2N

STS-440N + BSS-2N

FLAT SCREEN MOUNTS. ADJUSTABLE STANDS

Stands for flat screens.





 30" - 63"

 600 x 400 max.

 -15°/+5°

 360°

 50 kg

 LEVEL





 56" -70"

 800 max.

 -10°/+5°

 100 kg

 LEVEL

STS-463N

CHARACTERISTICS	Adjustable stand for flat screens from 30" to 63" (76 to 160 cm). Rotating stand which allows the screen to be turned horizontally or vertically. Wheels with brakes. Delivered unassembled with assembly instructions and accessories. Black finish.
STAND	360° rotating allowing the screen to be turned horizontally or vertically -15°/+5° vertical tilt Spirit level
MAXIMUM BORNE WEIGHT	50 kg
DIMENSIONS	Adjustable width from 20 to 81 cm x 50 cm maximum height Compatible with VESA 600 x 400 maximum With wheels: adjustable height: 146-206 cm Base: 97 x 76 cm depth Wheels: 70 mm
WEIGHT	25 kg
OPTIONAL	BSS-4N: Metal tray

STS-467N

CHARACTERISTICS	Tilting stand for flat screens from 56" to 70" (142 to 177 cm). Screen can be installed horizontally or vertically. Wheels with brake. Supplied unassembled with assembly instructions and accessories. Black finish.
STAND	-10°/+5° vertical tilt Spirit level
MAXIMUM BORNE WEIGHT	100 kg
DIMENSIONS	Adjustable width from 4 to 116 cm x 81 cm maximum height Compatible with VESA 800 maximum With wheels: adjustable height: 175-195 cm Base: 85 x 80 cm depth Wheels: 100 mm
WEIGHT	26 kg
OPTIONAL	BSS-6N: Metal tray

Metal tray for stand.

	BSS-4N	BSS-6N
CHARACTERISTICS	Metal tray. Black finish.	Metal tray. Black finish.
MAXIMUM BORNE WEIGHT	15 kg	20 kg
DIMENSIONS	50 x 35 cm depth	90 x 39 cm depth
WEIGHT	3.4 kg	6.4 kg
COMPATIBILITY	For FONESTAR stand mod. STS- 463N	For FONESTAR stand mod. STS- 467N





BSS-4N




BSS-6N

FLAT SCREEN MOUNTS. DIGITAL TV

Wall mount for DVD/Digital TV receiver with cable cover.



SVP-570N



SVP-570N


	SVP-570N	CC-20P
CHARACTERISTICS	Wall mount for DVD/Digital TV receiver with cable cover	Cable cover accessory to increase the distance between the SVP-570N and the screen.
COLOUR	Black	Black
MAXIMUM BORNE WEIGHT	25 kg	-
DIMENSIONS	DVD/Digital TV receiver mount: 300 x 360 mm depth cable cover: 82 x 178 mm height	82 x 178 mm height
WEIGHT	1 kg	-

FLAT SCREEN MOUNTS. VIDEO WALL

Video wall mounts. Composed of vertical bars for wall installation, horizontal and TV/monitor mount.



Vertical bars for video wall mounts. For installation on walls with vertical adjustment of the horizontal bars.




	SVW-75BV	SVW-134BV
CHARACTERISTICS	2 x 75 cm vertical bars. For adjusting the horizontal bars vertically. 2 lines of monitors up to 46" can be installed. For use with the horizontal bars mod. SVW-36H, SVW-56H or SVW-86H.	2 x 134 cm vertical bars. For adjusting the horizontal bars vertically. 3 lines of monitors up to 46" can be installed. For use with the horizontal bars mod. SVW-36H, SVW-56H or SVW-86H.
MAXIMUM BORNE WEIGHT	2 x 50 kg monitors	3 x 50 kg monitors
COLOUR	Black	Black
DIMENSIONS	75 x 7.5 cm	134 x 7.5 cm
WEIGHT	2.5 kg	4.4 kg
OPTIONAL	SVW-36H, SVW-56H, SVW-86H: horizontal bars for video wall SVW-45V or SVW-81: video wall TV mounts	SVW-36H, SVW-56H, SVW-86H: horizontal bars for video wall SVW-45V or SVW-81V: video wall TV mounts

Horizontal bars for installing with vertical bars or on a wall.


They can be set easily for different video wall sizes.



SVW-36H



SVW-56H



SVW-86H






SVW-36H

CHARACTERISTICS	Double horizontal bar. Including an end limit and a joint. Extendable with other horizontal bars.	Double horizontal bar. Including an end limit and a joint. Extendable with other horizontal bars.	Double horizontal bar. Including an end limit and a joint. Extendable with other horizontal bars.
COLOUR	Black	Black	Black
DIMENSIONS	36 x 14 cm	56 x 14 cm	86 x 14 cm
WEIGHT	1.1 kg	1.4 kg	2.1 kg
OPTIONAL	SVW-45V or SVW-81V: Television mount for video wall SVW-75BV and SVW-134BV: vertical bars for video wall	SVW-45V or SVW-81V: Television mount for video wall SVW-75BV and SVW-134BV: vertical bars for video wall	SVW-45V or SVW-81V: Television mount for video wall SVW-75BV and SVW-134BV: vertical bars for video wall

Two ultraslim mounts for flat screens for installing on horizontal bars.

They can be set easily for different video wall sizes.



SVW-45V

CHARACTERISTICS	Mounts for TV/monitor. Two ultraslim mounts for flat screens from 32" to 63" (81 to 160 cm)	TV/monitor mounts. Two ultraslim mounts for large format flat screens or to be installed vertically.
MOUNT	-5° vertical tilt Distance to the wall: 4.2 cm Support for cable access Vertical tilt regulation Lock system	Distance to the wall: 4.2 cm Support for cable access Vertical tilt regulation Lock system
DIMENSIONS	45 cm height Compatible with 800 x 400 VESA maximum	81 cm height Compatible with 800 x 700 VESA maximum
MAXIMUM BORNE WEIGHT	50 kg	50 kg
COLOUR	Black	Black
WEIGHT	1.6 kg	2.1 kg
OPTIONAL	SVW-36H, SVW-56H and SVW-86H: horizontal bars for video wall SVW-75BV and SVW-134BV: vertical bars for video wall	SVW-36H, SVW-56H and SVW-86H: Horizontal bars for video wall SVW-75BV and SVW-134BV: vertical bars for video wall

FLAT SCREEN MOUNTS. DISPLAY

Display unit for shops.



EXP-4

EXP-SOP

CHARACTERISTICS	Wall display unit for flat screen mounts.	Display stand for flat screen mounts
HEIGHT	1 m	1.9 m
WIDTH	0.7 m	0.62 m
CAPACITY	From 2 to 6 depending on the size	From 4 to 8 depending on the size
WEIGHT	9.5 kg	19.5 kg

PROJECTOR MOUNTS. ADJUSTABLE CEILING

FONESTAR

Ceiling mounts for projectors.



- SPR-546P (silver)
SPR-546N (black)
- 360°
- ±30°
- 10 kg




- SPR-550
- 360°
- ±15°
- 20 kg
-

	SPR-546P	SPR-546N	SPR-550
CHARACTERISTICS	Ceiling mount for projectors.	Adjustable ceiling mount for projectors.	Adjustable ceiling mount for projectors.
MOUNT	Horizontally adjustable 360° ±30° vertical tilt Distance to the ceiling: 12 cm	Horizontally adjustable 360° ±30° vertical tilt Distance to ceiling: 12 cm	360° horizontally adjustable ±15° vertical tilt Distance to the ceiling: 6.2 cm Lock system
COLOUR	Silver	Black	Black
MAXIMUM BORNE WEIGHT	10 kg	10 kg	20 kg
DIMENSIONS	3 x 18 cm arms and 4 x 14 cm arms, adjustable to the projector Ceiling plate: 12.5 m Ø	3 x 18 cm arms and 4 x 14 cm arms, adjustable to the projector Ceiling plate: 12.5 cm Ø	4 x 12.5 cm arms, adjustable to the projector Ceiling plate: 12 cm Ø
WEIGHT	1.2 kg	1.2 kg	1.1 kg
ACCESSORIES	-	-	Security lock

PROJECTOR MOUNTS. ADJUSTABLE CEILING

Ceiling mounts for projectors.



SPR-548P (silver)
SPR-548N (black)
SPR-548B (white)



±15°




±10°



20 kg

	SPR-548P	SPR-548N	SPR-548B
CHARACTERISTICS	Adjustable and extendable ceiling mount for projectors.	Adjustable and extendable ceiling mount for projectors.	Adjustable and extendable ceiling mount for projectors.
MOUNT	±15° vertical tilt ±10° side tilt Horizontally adjustable Distance to ceiling: 43 to 65 cm with extension, 12 cm without extension	±15° vertical tilt ±10° side tilt Horizontally adjustable Distance to ceiling: 43 to 65 cm with extension, 12 cm without extension	±15° vertical tilt ±10° side tilt Horizontally adjustable Distance to ceiling: 43 to 65 cm with extension, 12 cm without extension
COLOUR	Silver	Black	White
MAXIMUM BORNE WEIGHT	20 kg	20 kg	20 kg
DIMENSIONS	4 x 15 cm arms and 2 x 10 cm arms, adjustable to the projector Ceiling plate: 10 x 10 cm	4 x 15 cm arms and 2 x 10 cm arms, adjustable to the projector Ceiling plate: 10 x 10 cm	4 arms of 15 cm and 2 arms of 10 cm, adjustable to the projector Ceiling plate: 10 x 10 cm
WEIGHT	1.3 kg	1.3 kg	1.3 kg



SPR-565P

CHARACTERISTICS	Adjustable and extendable ceiling mount for projectors. For installation on horizontal and angled ceilings, or vertical surfaces.
MOUNT	40° horizontally adjustable ±20° vertical tilt ±20° side tilt 3 cm horizontal line adjustment Can be installed in ceilings with angles from 0° to 90° Distance to ceiling: extendable from 19 to 84 cm
COLOUR	Silver
MAXIMUM BORNE WEIGHT	30 kg
DIMENSIONS	4 x 5 cm arms and 4 x 8.5 cm arms. adjustable to the projector. Ceiling plate: 19 x 20 cm
WEIGHT	2 kg




SPR-566P

CHARACTERISTICS	Adjustable and extendable ceiling mount for projectors. For installation on horizontal and angled ceilings, or vertical surfaces.
MOUNT	40° horizontally adjustable ±20° vertical tilt ±20° side tilt 3 cm horizontal line adjustment Can be installed in ceilings with angles from 0° to 90° Distance to ceiling: extendable from 87 to 145 cm
COLOUR	Silver
MAXIMUM BORNE WEIGHT	20 kg
DIMENSIONS	4 x 5 cm arms and 4 x 8.5 cm arms, adjustable to the projector Ceiling plate: 19 x 20 cm
WEIGHT	2.9 kg

PROJECTOR MOUNTS. ADJUSTABLE CEILING

Electric ceiling mount for projectors. Adjustable run limits. Remote control with cable for manoeuvring through double easily extendable switch and wireless remote control. Adjustable masking cover for installing a ceiling plate to completely hide the projector and the mount.



(Projector not included)



SPREL-1B **N!**

CHARACTERISTICS	Electric ceiling mount for projectors. Double motor. Remote control with cable for manoeuvring through double switch. Remote control. Masking cover.
MOUNT	±20° vertical tilt ±15° side tilt Horizontally adjustable Maximum drop: 100 cm
COLOUR	White
MAXIMUM BORNE WEIGHT	13 kg
DIMENSIONS	Folded mount, distance to ceiling (without projector): 27 cm Ceiling plate: 32 x 29.5 cm Masking cover: 50 x 50 cm Projector mount: 4 x 10.5 cm arms, adjustable to the projector
WEIGHT	15 kg
POWER SUPPLY	230 V AC, 76 W

Metal anti-theft security box for projectors. Specially designed to avoid projector theft.



SPR-569BOX

CHARACTERISTICS	Metal anti-theft security box for projectors.
COLOUR	Grey
MAXIMUM BORNE WEIGHT	20 kg
DIMENSIONS	405 x 200 x 485 mm depth
WEIGHT	5.5 kg
OPTIONAL	SPR-565P and SPR-566P: projector mounts

PROJECTOR MOUNTS. ADJUSTABLE WALL

FONESTAR

Wall mounts for projectors.

SPR-543P




360°



±20°



26 kg



SPR-552



360°



±15



15 kg



SPR-545P



360°



±15



10 kg



SPR-543P **N!**

SPR-552

SPR-545P

CHARACTERISTICS	Adjustable wall mount for projectors.	Adjustable wall mount for projectors.	Adjustable wall mount for projectors.
MOUNT	360° horizontally adjustable ±20° vertical tilt Distance to the wall: 31 to 37 cm	360° horizontally adjustable ±15° vertical tilt Arm length: 130 cm Distance to the wall: 8 to 127 cm Cable holder Spirit level Lock system	360° horizontally adjustable ±15° vertical tilt Arm length: 125 cm Distance to the wall: 13.5 to 120 cm Spirit level.
COLOUR	Silver	Black	Silver
MAXIMUM BORNE WEIGHT	26 kg	15 kg	10 kg
DIMENSIONS	4 x 14.5 cm arms, adjustable to the projector Wall plate: 15.5 cm Ø	4 x 12.5 cm arms, adjustable to the projector Wall plate: 11 x 11 cm	4 x 14 cm arms and 4 x 9 cm arms, adjustable to the projector Wall plate: 15 x 25 cm
WEIGHT	2.6 kg	3.7 kg	4.6 kg
ACCESSORIES	-	Safety lock Anti-theft screws	-

PROJECTOR MOUNTS. STANDS

Stand for video projector and multimedia applications.
Adjustable height.



 20 kg



SPS-402P

CHARACTERISTICS	Video projector stand. 2 metal trays, adjustable height, the upper with adjustable tilt, for video projectors and laptops or DVD players, etc. Wheels with brakes. Tube with cable holder. Easy to assemble. Includes instructions and accessories for assembly.
COLOUR	Grey
MAXIMUM BORNE WEIGHT	20 kg
DIMENSIONS	Adjustable height (with wheels): 93 -142 cm Base: 45 x 50 cm depth Wheels: 50 mm Upper tray: 40 x 40 cm depth Laptop computer tray mount: 40 x 35 cm depth
WEIGHT	9 kg
ACCESSORIES	Adjustable safety strap



 10 kg



 10 kg



SPS-404P

CHARACTERISTICS	Stand for projectors. 2 trays, adjustable in height, one with an adjustable tilt, for video projector, laptop computer, etc. Wheels with brake. Easy to assemble. Includes assembly instructions and accessories.	Stand for projectors. 1 tray with adjustable height and tilt, for video projector, laptop computer, etc. Foldable for easy transporting and storage. Wheels with brake. Easy to assemble. Including assembly instructions and accessories.
COLOUR	Black and grey	Black and grey
MAXIMUM BORNE WEIGHT	10 kg	10 kg
DIMENSIONS	Adjustable height (with wheels): 77.5- 97.5 cm Base: 76.5 x 57 cm Wheels: 5 cm Tilting tray: 45 x 45 cm Small tray: 30 x 45 cm	Adjustable height (with wheels): 68 - 90 cm Base: 48.7 x 43.8 cm Wheels: 50 mm Upper tray: 60 x 40 cm Lower tray: 32 x 33.6 cm
WEIGHT	7.1 kg	7.8 kg

TABLET MOUNTS. ADJUSTABLE

Adjustable mounts for tablets from 8.9" to 10.4"

FONESTAR



TAB-01



TAB-06



TAB-12



TAB-01

TAB-06

TAB-12

CHARACTERISTICS	Adjustable mount for tablets from 8.9" to 10.4".	Adjustable mount for tablets from 8.9" to 10.4".	Adjustable mount for tablets from 8.9" to 10.4".
MOUNT	For wall, ceiling or desktop assembly Suitable for all iPad and tablet models on the market from 8.9" to 10.4" Double articulated arm Adjustable tilt Adjustable arms for positioning the tablet in a horizontal or vertical position Silicone grips on the arms $\pm 30^\circ$ vertical tilt 360° rotating Horizontal: 250 x 195 mm maximum Vertical: 180 x 235 mm maximum	Desktop installation Suitable for all iPad and tablet models on the market from 8.9" to 10.4" Adjustable tilt Adjustable arms for positioning the tablet in horizontal or vertical position Silicone grips on the arms $\pm 30^\circ$ vertical tilt 360° rotating Horizontal: 250 x 195 mm maximum Vertical: 180 x 235 mm maximum	Adaptable to the car headrest Suitable for all iPad and tablet models on the market from 8.9" to 10.4" Adjustable tilt Adjustable arms for positioning the tablet in horizontal or vertical position Silicone grips on the arms $\pm 30^\circ$ vertical tilt 360° rotating Horizontal: 250 x 195 mm maximum Vertical: 180 x 235 mm maximum
COLOUR	Black	Black	Black
WEIGHT	Adjustable arm opening: 36° to 180° Wall/ceiling/desktop plate: 115 mm Ø 0.6 kg	Adjustable arm opening: 36° to 180° Desktop mount: 110 mm 0.3 kg	Adjustable arm opening: 36° to 180° Adjustable headrest mount: 170 to 220 mm 0.4 kg